

KIMOFIX[®]
fixing system solutions

Web
www.kimofix.com

Email
info@kimofix.com

Office Add
1001-1002, Building A, AUX-Orient Center, 518Xinmei Rd, Ningbo, China

Factory Add
No.27. Zhushan Industry Zone. Yuyao City. Zhejiang Pro. CN

Screws

Feel the power of KIMOFIX

KS001
**Pan Framing Head & Philips Drive
Tapping Screws**



Applications:

For framing applications with thin gage steel

Features:

Sharp point and fine thread penetrate metal and tap their own mating threads

KS002
**Wafer Head
Self Drilling Screw**



Applications:

Roof and skin sheet to steel
Residential steel frame construction
For light duty purpose

Features:

Wafer head design on purpose using
Non-walking point provides fast material engagement

Size(mm)

4.8X16

4.8X22

4.8X32

4.8X38

KS003
**Bugle Head
Drywall Screws**

Tornillo drywall para madera
Phillips
Twinfast thread



Size(mm)

3.5X19
3.5X25
3.5X32
3.5X38
3.5X50
4.2X63

KS004
**Bugle Head
Drywall Screws**

Tornillo drywall para madera
Phillips
Coarse thread



Size(mm)

3.5X19
3.5X25
3.5X32
3.5X38
3.5X50
4.2X63

KS005
**Bugle Head
Self Drilling Screws**

Tornilo Auto perforante Cabeza Plana Avellanada Punta Broca



Size(mm)

3.5X25

3.5X32

3.5X38

KS006
**Countersunk Head
Self Drilling Screws**

Tornilo Auto perforante Cabeza Plana Avellanada Punta Broca Phillips



Applications:

Best choice for fastening in window or door frames purpose
Using in flat surface required
Using in pre-drilled hole for fitting

Features:

Precise cutting edges to improve drill performance
Countersunk head available for working purpose

Size(mm)

4.2X19

4.2X25

4.2X32

4.2X38

KS009
**Truss Head
Self Tapping Screws**

Tornilo Auto perforante Cabeza Truss
Phillips



Size(mm)

4.2X13

4.2X19

4.2X25

4.2X32

KS010
**Truss Head
Self Drilling Screws**

Tornilo Auto perforante Cab Truss Phillips Punta Broca
Phillips



Applications:

Residential steel frame construction
For using in object like polycarbonate sheet, shadow cover

Features:

Truss head design on purpose using
Non-walking point provides fast material engagement

Size(mm)

4.2X13

4.2X16

4.2X19

4.2X25

4.2X32

4.2X38

4.2X50

KS011
**Truss Head
Self Drilling Screws**

Phillips




KS012
**Wafer Head
Self Drilling Screws**

Applications:

Perfect for use in sheet metal steel, aluminum, wood, plastics, and other similar materials.

Features:

High strength and hardness ratings and resists corrosion in mild environments.



KS013
**Double CSK Head
Chipboard Screws**

Pozi Drive



KS014
**Bugle Head
Chipboard Screw**

Features:

Robertson Square Drive Allows For Fast & Easy Installation
Sharp Cutting Threads To Provide A Better Long Lasting Hold



Size(mm)

	$\frac{20}{30}$	$\frac{20}{40}$		$\frac{30}{50}$	
3.5x	$\frac{35}{40}$	4.0x	$\frac{45}{50}$	4.5x	$\frac{30}{40}$
	$\frac{50}{60}$		$\frac{60}{70}$	5.0x	$\frac{60}{70}$
					$\frac{70}{80}$
				6.0x	$\frac{70}{100}$

KS015
**Double CSK Head
Chipboard Screws**

Applications:

Automotive, instrument, electrical equipment, household appliances, furniture, mechanical equipment, daily living equipment, electronic sports equipment, light industry products, sanitation machinery, market/ hotel equipment supplies, artware etc.

Features:

Resists material slippage during pull out and vibration



KS016
**Countersunk Head
Wood Lag Screws**



KS017
**Bugle Head
Chipboard Screws**

Features:

Robertson Square Drive Allows For Fast & Easy Installation
Sharp Cutting Threads To Provide A Better Long Lasting Hold



KS018
**Wood Screw
with T25 Star Bit for Log**

Applications:

These screws are suitable for various woodworking projects such as deck construction, fence maintenance, and hardwood and cork frames.

Features:

The thread of the wooden screw adopts a segmented serrated pattern, which fully improves the safety and stability of the connection



KS019
**Flat Head
Concrete Screw**

Applications:

The anchor is made from Carbon Steel, and is Blue. This anchor is designed for use in Concrete, Block, and Brick.

Features:

The anchor is designed for use in a Dry environment.



KS020
**Flat Head
DIN 7997 Wood Screws**

Tornillo Para Madera Cabeza Plana Avellanada
Phillips



KS021 Flat Head Self Tapping Screw

Slotted Drive

Applications:

Screws are essential necessity in daily life or industrial manufacturing. Widely used in woodworking, furniture, home, industry, gardening, indoor decorations, or any other DIY crafts for installation, repair, and fixing. Such as thin metal parts, wood fences, cabinets, wardrobes, closets, boxes, wooden walls, and fixing hinges, latches, hasp, etc. into wooden surfaces. Especially suitable for indoor drying places.

Features:

Flat head screws can keep the surface flat after installation
Clear thread, uniform tooth pitch, and good fastening effect



KS022 Round Head Self Tapping Screw

Slotted Drive

Applications:

Screws are essential necessity in daily life or industrial manufacturing. Widely used in woodworking, furniture, home, industry, gardening, indoor decorations, or any other DIY crafts for installation, repair, and fixing. Such as thin metal parts, wood fences, cabinets, wardrobes, closets, boxes, wooden walls, and fixing hinges, latches, hasp, etc. into wooden surfaces. Especially suitable for indoor drying places.

Features:

Round head style is the most popular fastener head type which to achieve a specific aesthetic look by far
Clear thread, uniform tooth pitch, and good fastening effect



KS023 Pan Head Self Tapping Screw

Phillips Drive

Applications:

Screws are essential necessity in daily life or industrial manufacturing. Widely used in woodworking, furniture, home, industry, gardening, indoor decorations, or any other DIY crafts for installation, repair, and fixing. Such as thin metal parts, wood fences, cabinets, wardrobes, closets, boxes, wooden walls, and fixing hinges, latches, hasp, etc. into wooden surfaces. Especially suitable for indoor drying places.



KS024 Flut Head Self Tapping Screws

Applications:

Flat head screws are mainly used in home appliances, furniture and many woodworking and DIY work, furniture and cabinet industry, because it has good holding power, suitable for non-metal or soft metal, no mounting holes, directly screwed into the product with flat head screws, no nut fit; Can achieve the effect of connection tightening

Features:

- Corrosion resistant
- Rust proof
- High strength



KS025 Flat Head Self Tapping Screw

Slotted Drive

Applications:

Screws are essential necessity in daily life or industrial manufacturing. Widely used in woodworking, furniture, home, industry, gardening, indoor decorations, or any other DIY crafts for installation, repair, and fixing. Such as thin metal parts, wood fences, cabinets, wardrobes, closets, boxes, wooden walls, and fixing hinges, latches, hasp, etc. into wooden surfaces. Especially suitable for indoor drying places.

Features:

Flat head screws can keep the surface flat after installation
Clear thread, uniform tooth pitch, and good fastening effect



KS026 Hex Washer Head Self Tapping Screws

Tornilo Auto perforante Cab Hexagonal



Size(mm)

4.8X58

4.8X32

5.5X25

5.5X32

5.5X38

KS027 Hex Washer Head Self Tapping Screws

Applications:

Hexagonal head screws are mainly used in home appliances, furniture and many woodworking and DIY work, furniture and cabinet industry, because it has good holding power, suitable for non-metal or soft metal, no mounting holes, directly screwed into the product with Hexagonal head screws, no nut fit. Can achieve the effect of connection tightening

Features:

Deep thread design of Hexagonal head tapping screws, strong and durable, can provide good holding power in different materials, to achieve the effect of connection and fastening



KS028 Hex Washer Head Self Tapping Screws

Applications:

Hexagonal head screws are mainly used in home appliances, furniture and many woodworking and DIY work, furniture and cabinet industry, because it has good holding power, suitable for non-metal or soft metal, no mounting holes, directly screwed into the product with Hexagonal head screws, no nut fit. Can achieve the effect of connection tightening

Features:

Deep thread design of Hexagonal head tapping screws, strong and durable, can provide good holding power in different materials, to achieve the effect of connection and fastening



KS029
Hex Washer Head
Self Drilling Screws

Tornillo Autoperforante Cabeza Hexagonal Con Neoprene
Punta Broca

Applications:

For light duty purpose
Stitch roof deck and wall panel sidelaps
Residential steel frame construction
Brick ties to steel framing

Features:

Unique point to thread design extrudes the metal preventing stripout
Non-walking point provides fast material engagement
Point to thread design maximizes pullout performance and minimizes backout



Size(mm)

6.3X19
6.3X25
6.3X32
6.3X38
6.3X50

KS030
Hex Washer Head
Self Drilling Screws

Applications:

Hexagonal washer head self-drilling screws are ideal for use in wood, metal or other tough materials and are known for their efficient application performance and durability, you can see them all around as they are widely used in various industries such as construction, manufacturing, engineering, assembly, etc

Features:

Hexagon washer head self-drilling screws suitable for non-metal or soft metal, no mounting holes, directly screwed into the product with hexagon washer head self-drilling screws without nuts to fit



KS031
**Hex Washer Head
Self Drilling Screws**



Applications:

Hexagonal washer head self-drilling screws are ideal for use in wood, metal or other tough materials and are known for their efficient application performance and durability, you can see them all around as they are widely used in various industries such as construction, manufacturing, engineering, assembly, etc

Features:

Hexagon washer head self-drilling screws suitable for non-metal or soft metal, no mounting holes, directly screwed into the product with hexagon washer head self-drilling screws without nuts to fit

Size(mm)

	60		60
	80		80
5.5x	100	5.5x	175
	125		200
	150		250
		6.3x	100
			125
			150
		6.3x	175
			200
			250
			275

KS032
**Hex Washer Head
Self Drilling Screws**



Applications:

Hexagonal washer head self-drilling screws are ideal for use in wood, metal or other tough materials and are known for their efficient application performance and durability, you can see them all around as they are widely used in various industries such as construction, manufacturing, engineering, assembly, etc

Features:

Hexagon washer head self-drilling screws suitable for non-metal or soft metal, no mounting holes, directly screwed into the product with hexagon washer head self-drilling screws without nuts to fit

KS033 Hex Washer Head Self Drilling Screws

Tornilo Autoperforante Cabeza Hexagonal Con Neoprene Punta Broca



Applications:

For light duty purpose
Stitch roof deck and wall panel sidelaps
Residential steel frame construction
Brick ties to steel framing

Features:

Unique point to thread design extrudes the metal preventing stripout
Non-walking point provides fast material engagement
Point to thread design maximizes pullout performance and minimizes backout

Size(mm)

Size(mm)		Size(mm)		Size(mm)	
	19		19		19
	25		25		25
	32		32		32
4.8x	38	5.5x	38	6.3x	38
	50		50		50
			63		63
			75		75
			100		100

KS034 Hex Washer Head Self Drilling Screws

Tornilo Autoperforante Cab Hexagonal



Applications:

For light duty purpose
Stitch roof deck and wall panel sidelaps
Residential steel frame construction
Brick ties to steel framing

Features:

Unique point to thread design extrudes the metal preventing stripout
Non-walking point provides fast material engagement
Point to thread design maximizes pullout performance and minimizes backout

Size(mm)

Size(mm)		Size(mm)		Size(mm)	
	19		19		63
	25		25		75
	32		32		100
5.5x	38	6.3x	32	6.3x	125
	50		38		
	63		50		
	75				

KS035
**Hex Washer Head
Self Drilling Screws**



Applications:

Hexagonal washer head self-drilling screws are ideal for use in wood, metal or other tough materials and are known for their efficient application performance and durability, you can see them all around as they are widely used in various industries such as construction, manufacturing, engineering, assembly, etc

Features:

Hexagon washer head self-drilling screws suitable for non-metal or soft metal, no mounting holes, directly screwed into the product with hexagon washer head self-drilling screws without nuts to fit

Size(mm)

	19		
	25		
	32		
5.5x	38		
	50		
	63		
	75		
		19	
		25	
6.3x		32	
		38	
		50	
			63
6.3x			75
			100
			125

KS036
**Pan Head
Wood Screws**



Applications:

Installs in wallboard, plywood, concrete, hollow or grout filled block, brick and plaster

Features:

Thread design prevents spinning and stripping
Heat treated point can penetrate metal and wood studs

KS037
**Pan Head
Self Tapping Screws**

Applications:

The stainless steel self tapping screws is suitable for home appliances, electronic repairs, furniture, fence, car restoration, small repairs, DIY project, wood, metal, plastic, aluminum projects.

Features:

- High strength
- No deformation
- Not be easily stripped
- Offer longer service life.



KS038
**Pan Head
Self Tapping Screws**

Tornillo Auto perforante Cabeza Plana Avellanada
Combo Recess



Size(mm)

3.5 x $\frac{19}{25}$	4.2 x $\frac{25}{32}$ $\frac{38}{38}$	4.8 x $\frac{38}{50}$
------------------------------	---	------------------------------

KS039
**Pan Head
Wood Screws**



KS040
**Pan Head
Concrete Screw**



Applications:

Serrated threads cut into the walls of the pre-drilled hole for easy installation and a strong hold every time.

Features:

Screws design maximizes torque and reduces cam-out to protect the fastener and bit

KS041 Edge Deck Screw

Applications:

Fasten on the edge of the deck board to provide a clean, professional, deck top
Universal hidden deck fasteners for pressure treated lumber, hardwoods, cedar, and
composite decks installed on any angle

Features:

Rake tip augers material from the hole, preventing the deck board from
splitting, cracking, or bubbling



KS042 CSK Head Wood Screw



KS043
**Pancake Head
Self-Tapping Screw**



KS044
**Large wafer Head
Self Tapping Screws**



KS045 Countersunk Head Hi-Low Concrete Screw

Applications:

Concrete material fixtures
Flexible flashing
Suitable for soft brick & masonry work

Features:

Can be using in exterior environment
Internal washer design provides more bearing surface
Hi-lo thread provides smooth power for drilling
Pre-drilled hole are requested



Size(mm)

	60		140
	75		160
6.3x	80	6.3x	180
	100		200
	125		

KS046 Hex Head Concrete Screws

Applications:

This concrete screw anchor is designed for use in most masonry base materials, such as concrete, brick or block, cement, stucco, mortar, cinder block. Acceptable for use in ACQ treated lumber

Features:

1022A carbon steel, finished with epoxy exterior blue coating
With high-low thread design, the brick screws create a removable fastening



KS047
**Pan Head
Concrete Screws**

Applications:

Suitable for exterior and interior masonry, the blue ruspert coating provides superior rust resistance.

Features:

Serrated threads cut into the walls of the pre-drilled hole for easy installation and a strong hold every time.



KS048
**Pozi-Flat Head
Confirmat Screws**

Applications:

Designed for Cabinets and other Box Construction applications Can be removed and reinstalled numerous times without loss of strength

Features:

Can be removed and reinstalled numerous times without loss of strength



KS049
Concrete Screws

Flat Torx Head
Hi-Lo Thread



Size(mm)

7.5X42

7.5X52

7.5X62

7.5X72

7.5X82

7.5X92

7.5X102

KS050
**Hexagon Head
Wood Screws**



KS051
**Hexagon Head
Wood Screws**



KS052
**Hexagon Head
Wood Screws**

Tornilo Autoperforante Cab Hexagonal



KS053
**Hexagon Head
Wood Screws**

Parafuso Rosca Soberba Cabeça Sextavada
DIN 571 Wood Screw



Size(mm)

6X40
6X50
6X60
8X30
8X40
8X50
8X60

KS054
**Wood Screw
with T25 Star Bit for Log**

Applications:

These screws are suitable for various woodworking projects such as deck construction, fence maintenance, and hardwood and cork frames.

Features:

The thread of the wooden screw adopts a segmented serrated pattern, which fully improves the safety and stability of the connection



KS055
**Washer Head
Wood Screws**

Applications:

Type 17 timber screws are suitable for fixing metal roofing into timber battens (both hardwood and softwood)

Features:

Fast and Easy application into both Hardwood and Softwood battens
Prevents the scratching and scouring of the fastener shank that can happen during installation.



Size(mm)

12X50

12X65

14X50

14X65

14X75

14X90

KS056
**Washer Head
Self Tapping Screws**

Applications:

Washer Head Self Tapping Screws are widely used together with tile roof hooks, which connect hooks to the wooden beams.

Features:

Not slippery, fast, not easy to break, high strength, not easy to deform, not eccentric



KS057 Washer Head Wood Screws

Applications:

Outdoor Wood Screws made of Thickened rod by, high quality low carbon alloy steel special heat treatment process, which has higher corrosion resistance and anti-rust effect than ordinary screws, longer service life, not easy to damage, more solid, excellent mechanical properti

Features:

Not slippery, fast, not easy to break, high strength, not easy to deform, not eccentric



KS058 Phillip Hex Washer Head Self Tapping Screws

Applications:

Widely used in various industries such as manufacturing, construction, engineering, and assembly.

Features:

It is driven by a cross groove, with uniform force, easy to lock, not easy to slip, and convenient and quick to use.



KS059

**Hexagon Head
Wood Screws**



KS060

**Hex Washer Head
Wood Screws**



KS061 Hex Standoff Spacers

Applications:

The male-female has an internal thread one end and an external threaded stud or screw the other to enable components to be joined together. Used to securely mount your PCB as well as elevating it from other components such as the inside of a computer chassis or another PCB

Features:

Stainless steel, strong, resist rust, corrosion-resistant, compact and portable



KS062 Threaded Rod Anchor

Applications:

The rod hanging spiral anchors offer a straightforward solution for suspending threaded rods in concrete, both vertically and horizontally; They are especially suited for various architectural hanging tasks, providing flexibility and reliability

Features:

These anchors require a hole, guaranteeing precise hole diameter for maximum holding strength



KS063
**Silver Floor
Metal Screw Nails**

Applications:

This nails can be used with picture hangers to hang up objects, photo frame, wedding, exhibition painting and etc. also can used for wood-working, fix wall shelves and repair small things, handmade arts or other DIY home improvement projects.

Features:

The surface is Galvanized, more effectively prevent nail corrosion.



KS064
**Silver Floor
Metal Screw Nails**

Applications:

Used to install aluminum transition strips to wood subfloors. Use with Wood Pegs (sold separately) for installation on concrete subfloors.

Features:

Silver finish
Finish matches popular in-store transitions.



KS065 Hardware Nail

Applications:

These nails are widely used for various wooden projects at home or at work, such as picture hanging, DIY production, making crafts, home decorating, and home maintenance

Features:

Large flat head design, with large stress area and uniform force.



KS066 Finishing Nail

Applications:

Widely used in DIY home improvement projects and crafts, such as wood products, plasterboard, wood table, baseboard, interior decoration, and so on.

Features:

Finishing nail that has a small head, almost no trace, which protects the integrity of the baseboard to a large extent



KS067
**Steel Wedge With
Semicircular Head**

Features:

Quality steel, thermically processed, coated with zinc



KS068
U-Nail

Applications:

For use in fence construction and repair

Features:

Durable and reliable



KS069
U-Nail

Applications:

For use in fence construction and repair

Features:

Durable and reliable



KS070
U-Nail

Applications:

For use in fence construction and repair

Features:

Durable and reliable



KS071 Ceiling Cup Self Tapping Screw Hook

Applications:

These hooks are suitable for various settings such as homes, offices, garages, and gardens. They can be used to hang curtains, wires, cups, jewelry, irrigation pipes, small tools, and other lightweight items, helping to organize spaces efficiently.

Features:

The hooks are designed for simplicity and can be easily installed on wood, walls, ceilings, and other surfaces.



KS072 L Shaped Self Tapping Screw Hook

Applications:

You can use hooks wherever you need them, they are perfect for hanging pictures, clothes, hats, hanging wind chimes, plants, chandeliers, kitchen utensils, lamps, Christmas lights, signs, mugs, keys, tools and other items.

Features:

This screw and hook integrated design of the hook, with good penetration ability, can be firmly fixed on the panel to maintain stability, not easy to fall, and improve the flexibility and convenience of use.



KS073 Eye Bolts Self-Tapping Screw Hook



Applications:

Can be used for tie-downs, lifting loads and securing cables. Ideal for hanging items indoors and outdoors, such as kitchen tools, bath, outdoor lamps, garden and outdoor applications. Also suitable for hanging light-weight items such as string lights, wire basket, arts and more.

Features:

The high quality metal points can bite into wood, plywood or drywall without stripping; The material used allows the screw eyes to exert maximum strength and durability, make your life more convenient and safe.